



VeriTorq® brings accurate torque wrench testing to the "That can save me money!" level - for companies large and small!

VeriTorq® is a ± 1% I.V. digital torque wrench tester suitable for calibrating all clicker and camover-type torque wrenches, and torque screwdrivers as well. It can also test beam, dial, and digital torque wrenches!

# VeriTorq®

## Digital Tester Series

If you have 10 or more torque wrenches that you send out for calibration - whether to the manufacturer or an independent laboratory - you can now bring those calibrations in-house and turn expense to profit! VeriTorq® is so simple to use and so affordable that it can even be put at the assembly line for use at the start of each shift.

How simple? Perhaps 15 minutes to install. Maybe another 15 minutes to learn to use. You could have your first two torque wrenches calibrated within an hour of opening the box!


And talk about return on investment! If you have as few as 10 torque wrenches that you calibrate twice a year, and you spend \$50 per tool per calibration (including shipping both ways), your VeriTorq® may pay for itself in less than 18 months.

It's time to increase your profits and reduce your overhead!



Accurate torque wrench testing at a very affordable price!

Includes FREE certification from our ISO/IEC 17025 Accredited calibration laboratory.



## Features

- Three modes of operation: Track, Peak, and Clicker (Initial Peak).
- Clockwise and counter-clockwise test capability.
- +/- 1% Indicated Value Accuracy from 10% to 100% of capacity.
- Units of measure include English, Standard International, and metric.
- Integral "L" bracket for horizontal or vertical mounting.
- Electronics Module rotates in two planes.
- Large LCD displays settings and values.
- Serial port for immediate or batch data transfer.
- Four button control panel.
- Meets or exceeds ASME B 107.29M.
- FREE ISO/IEC 17025 long-form certification!
- Made in USA by ISO 9001 manufacturer!
- Custom plastic Carrying/Storage Case and Power Supply included.

## Benefits

- Allows daily checking of tools and instant resolution in event of a question.
- Savings in calibration fees can pay for tester in less than a year.
- Reduces downtime and saves money by eliminating unneeded calibrations.
- Perfect for testing clicker and camover torque wrenches and torque screwdrivers.
- Serial output for use with terminal program or serial printer.
- Large LCD and rotating Electronics Module make it easy to read regardless of wrench length or technician height.
- Multiple Units of Measure to accommodate a wide range of tools.
- Very easily programmed via the four buttons on the Electronics Module.

## VeriTorg® Digital Torque Tester



Part No.	Model	Drive Size
10362	VeriTorg® 1 Nm/10 in.lbs.- 120 VAC	.25" Male Hex
10363	VeriTorg® 6 Nm/50 in.lbs.- 120 VAC	.25" Male Hex
10364	VeriTorg® 12 Nm/100 in.lbs.- 120 VAC	.375" Male Hex
10365	VeriTorg® 34 Nm/300 in.lbs.- 120 VAC	.375" Male Hex
10366	VeriTorg® 109 Nm/80 ft.lbs.- 120 VAC	.5" Female Square*
10367	VeriTorg® 201 Nm/150 ft.lbs.- 120 VAC	.5" Female Square*
10368	VeriTorg® 339 Nm/250 ft.lbs.- 120 VAC	.5" Female Square*
10369	VeriTorg® 814 Nm/600 ft.lbs.- 120 VAC	.75" Female Square**
10371	VeriTorg® 1 Nm/10 in.lbs.- 240 VAC	.25" Male Hex
10372	VeriTorg® 6 Nm/50 in.lbs.- 240 VAC	.25" Male Hex
10373	VeriTorg® 12 Nm/100 in.lbs.- 240 VAC	.375" Male Hex
10374	VeriTorg® 34 Nm/300 in.lbs.- 240 VAC	.375" Male Hex
10375	VeriTorg® 109 Nm/80 ft.lbs.- 240 VAC	.5" Female Square*
10376	VeriTorg® 201 Nm/150 ft.lbs.- 240 VAC	.5" Female Square*
10377	VeriTorg® 339 Nm/250 ft.lbs.- 240 VAC	.5" Female Square*
10378	VeriTorg® 814 Nm/600 ft.lbs.- 240 VAC	.75" Female Square**

### All VeriTorg® Digital Torque Testers Include:

- 120 VAC or 240 VAC to 6 VDC Converter
- Custom Plastic Carrying/Shipping Case
- Serial Cable
- Quick Start Instructions
- 1-Year Warranty on Electronics
- Includes FREE certification from our ISO/IEC 17025 Accredited calibration laboratory.

\* Includes .5" M Square to .375" F Square Adapter.

\*\* Includes .75" M Square to .5" F Square and .5" M Square to .375" F Square adapters.

# **WESTEC**<sup>®</sup> - Sales & Services In India

Office No. 12, 1st Floor, Hermes Atrium,  
B wing, Plot 57, Sector – 11,  
CBD Belapur, Navi Mumbai – 400 614

Mob: 9821 0327 20 | Tel:+91-22-2756 6533  
Telefax: +91-22-2756 6534 | Website - <http://westec-india.com/>  
E-mail: [westecnavimumbai@vsnl.net](mailto:westecnavimumbai@vsnl.net)